

MADE IN ITALY. MADE TO EXCEL.

NYRA

Interactive version



STONE LOOK

PORCELAIN TILES

Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит

WALL TILES

Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com



ENJOY
THE
VIDEO

Collection in collaboration
with **Alberto Apostoli**

INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



BALANCE AS PART OF OUR LIVING

WELLNESS SPACES

Nyra
Mist
120x278 cm | 47 1/4"x109 1/2"

NATURE'S TACTILE BLEND

TEXTURAL WEAVE

INDEX



INSPIRATION



DESIGN
GALLERY




SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





**“NYRA IS A DESIGN VISION WHERE
MATERIAL, TEXTURE AND COLOR NURTURE
A SENSE OF WELL-BEING.”**

– Alberto Apostoli



Alberto Apostoli is a leading figure in wellness architecture, known for iconic projects such as Lefay Resort & SPA Dolomiti, Casa Cipriani Milano, the SPA of Four Seasons Hotel in Moscow, the Tavan Jargal Resort in Mongolia, the FAAS Anti-aging Medical Center in China, and the Shin Rin SPA in New York. His studio collaborates with international clients including Four Seasons, Hilton, Marriott, Mandarin Oriental, and Jacuzzi, applying a holistic and multidisciplinary design approach that merges space, emotion, and well-being. From the very beginning, this vision became an integral part of Atlas Concorde’s creative journey. It evolved into a close and immersive collaboration: Apostoli contributed to shaping Nyra’s identity, defining textures, three-dimensional decors, color palette, and the environments where the collection comes to life. Nyra is the outcome of this shared approach: a collection that doesn’t replicate nature, but interprets it, offering a more sensorial, human, and conscious vision of ceramic stone.

INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





STAR



Inspiration



HAY



SUNLIGHT



MIST



COLOR DRAWN FROM NATURE

NATURAL TONES



METEOR



CHARCOAL



AMBROSIA



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



One Space

the Atlas Concorde
ceramic ecosystem

IMMERSIVE EXPERIENCES TO FEEL

PURE LIVING

Design Gallery

↔ Kitchen with Terrace



↔ Home Studio



↔ Villa



↔ Home Bathroom



↔ Spa Resort



↔ Hotel Suite



↔ Fitness Area



Spaces designed by

studio apostoli
wellness creators through architecture

INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





KITCHEN WITH TERRACE

WALL
Nyra
Favus Star
Matte
30x26 cm | 15³/₄"x10¹/₄"



HOME IS A PLACE WHERE PORCELAIN
SURFACES ELEVATE THE RHYTHM
OF DAILY RITUALS



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR

Nyra
Star
Matte Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

OUTDOOR FLOOR

Nyra
Star
Outdoor Sensitech ✕ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL

Nyra
Star
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Nyra
Favus Star
Matte
30x26 cm | 15³/₄"x10¹/₄"

FURNITURE

Nyra
Star
Matte
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP

Atlas Plan Nyra
Mist
Hammered
162x324 cm | 63⁵/₈"x127"

DINING TABLE | INCONTRO 75

Atlas Concorde Habitat
Calacatta Gold
Polished
240x100 cm | 94¹/₂"x39⁴/₃"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel
Hammered
Ø 45 cm | 17³/₄" - Ø 65 cm | 25⁵/₈"



- FLOOR

Nyra
Star

Matte Sensitech
120x240 cm | 47 1/4"x94 1/2"
- FURNITURE

Nyra
Star

Matte
120x278 cm | 47 1/4"x109 1/2"
- COUNTERTOP

Atlas Plan Nyra
Mist

Hammered
162x324 cm | 63 5/8"x127"
- TRAY | TRATTO - DISCO

Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel

Hammered
Ø 25 cm | 9 7/8"



INDEX



INSPIRATION



DESIGN
GALLERY



- KITCHEN WITH TERRACE
- HOME STUDIO
- VILLA
- HOME BATHROOM
- SPA RESORT
- HOTEL SUITE
- FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Nyra
Star
Matte Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

FURNITURE

Nyra
Star
Matte
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP

Atlas Plan Nyra
Mist
Hammered
162x324 cm | 63⁵/₈"x127"

DINING TABLE | INCONTRO 75

Atlas Concorde Habitat
Calacatta Gold
Polished
240x100 cm | 94¹/₂"x39⁴/₃"



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



OUTDOOR FLOOR

Nyra
Star
Outdoor Sensitech $\pm$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

FACADE

Nyra
Star
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

BENCH | TRATTO - ARCO

Atlas Concorde Habitat
Nyra Mist
Hammered
150x42x42 cm | 59"x16 $\frac{1}{2}$ "x16 $\frac{1}{2}$ "

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel
Hammered
Ø 45 cm | 17 $\frac{3}{4}$ " - Ø 65 cm | 25 $\frac{5}{8}$ "



OUTDOOR FLOOR

**Nyra
Star**
Outdoor Sensitech $\star$ 20 mm
120x120 cm | 47⁷/₄"x47⁷/₄"

**Nyra
Star Bordo Piscina**
Outdoor Sensitech $\star$ 20 mm
30x60 cm | 11³/₄"x23⁵/₈"

SIDE TABLE | TRATTO - GIOTTO

**Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel**
Hammered
Ø 45 cm | 17³/₄" - Ø 65 cm | 25⁵/₈"

TRAY | TRATTO - QUADRO

**Atlas Concorde Habitat
Cristallo Root**
Polished - Silk
25x25 cm | 9⁷/₈"x9⁷/₈"

INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



HOME STUDIO

WALL
Nyra
Sunlight
Matte
120x278 cm | 47 1/4"x109 1/2"



WHERE THE MIND UNWINDS,
TEXTURES AND MATERIALS SHAPE
SPACES OF STILLNESS AND FOCUS.



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR

Nyra
Sunlight
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

OUTDOOR FLOOR

Nyra
Sunlight
Grip Sensitech
60x120 cm | 23 5/8"x47 1/4"

WALL

Nyra
Opus Sunlight
Matte
32x32 cm | 12 5/8"x12 5/8"

Nyra
Sunlight
Matte
120x278 cm | 47 1/4"x109 1/2"

Log
Icon Oak Matt
Matte
120x278 cm | 47 1/4"x109 1/2"

BENCH | TRATTO - ARCO

Atlas Concorde Habitat
Boost Icor Dune
Hammered
150x42x42 cm | 59"x16 1/2"x16 1/2"

STORAGE UNIT | TRATTO - ELLE

Atlas Concorde Habitat
Boost Icor Dune
Hammered
90x30x77 cm | 35 1/2"x11 3/4"x30 1/4"



FLOOR
**Nyra
Sunlight**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Nyra
Opus Sunlight**
Matte
32x32 cm | 12⁵/₈"x12⁵/₈"

**Nyra
Sunlight**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

**Log
Icon Oak Matt**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

WORKTOP
**Nyra
Ambrosia**
Hammered
162x324 cm | 63⁵/₈"x127"

INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDOOR FLOOR	OUTDOOR FLOOR	SIDE TABLE TRATTO - GIOTTO	TRAY TRATTO - DISCO
Nyra Sunlight	Nyra Sunlight	Atlas Concorde Habitat Nyra Ambrosia - Boost Vision Camel	Atlas Concorde Habitat Nyra Ambrosia - Boost Vision Camel
Matte Sensitech 120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	Grip Sensitech 60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	Hammered Ø 45 cm 17 ³ / ₄ " - Ø 65 cm 25 ⁵ / ₈ "	Hammered Ø 25 cm 9 ⁷ / ₈ "



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





VILLA

WALL
Nyra
Star
Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"



WELL-BEING FLOWS THROUGH SPACES
WHERE DESIGN DISSOLVES THE LINES
BETWEEN INSIDE AND OUT.



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



OUTDOOR FLOOR

Nyra
Mist
Outdoor Sensitech ✕ 20 mm
60x120 cm | 23⁵/₈"x47¹/₄"

FACADE

Nyra
Mist Bordo Piscina
Outdoor Sensitech ✕ 20 mm
30x60 cm | 11³/₄"x23⁵/₈"

Nyra
Star
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Nyra
Star
Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

BENCH | TRATTO – ARCO

Atlas Concorde Habitat
Nyra Mist
Hammered
150x42x42 cm | 59"x16¹/₂"x16¹/₂"



OUTDOOR FLOOR	INDOOR WALL	SIDE TABLE TRATTO - GIOTTO	TRAY TRATTO - DISCO
Nyra Mist	Nyra 3D Qube Star	Atlas Concorde Habitat Fior di Bosco	Atlas Concorde Habitat Fior di Bosco
Outdoor Sensitech $\pm$ 20 mm 60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	Matte 50x120 cm 19 ⁵ / ₈ "x47 ¹ / ₄ "	Polished - Silk Ø 45 cm 17 ³ / ₄ " - Ø 120 cm 47 ¹ / ₂ "	Polished - Silk Ø 25 cm 9 ⁷ / ₈ "



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR
Nyra
Mist
Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

WALL
Nyra
Mist
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Nyra
3D Qube Star
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

STORAGE UNIT | TRATTO - ELLE
Atlas Concorde Habitat
Nyra Mist
Hammered
90x30x77 cm | 35¹/₂"x11³/₄"x30¹/₄"

STORAGE UNIT | TRATTO - TORRE
Atlas Concorde Habitat
Nyra Mist
Hammered
30x30x120 cm | 11³/₄"x11³/₄"x47¹/₄"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Fior di Bosco
Polished - Silk
Ø 45 cm | 17³/₄" - Ø 65 cm | 25⁵/₈"

TRAY | TRATTO - DISCO
Atlas Concorde Habitat
Fior di Bosco
Polished - Silk
Ø 25 cm | 9⁷/₈"



FLOOR

Nyra Mist

Matte Sensitech

60x120 cm | 23⁵/₈"x47¹/₄"

OUTDOOR FLOOR

Nyra Mist

Outdoor Sensitech $\pm$ 20 mm

60x120 cm | 23⁵/₈"x47¹/₄"



WALL

Nyra Mist

Matte

120x278 cm | 47¹/₄"x109¹/₂"

STORAGE UNIT | TRATTO - ELLE

Atlas Concorde Habitat Nyra Mist

Hammered

90x30x77 cm | 35¹/₂"x11³/₄"x30¹/₄"

STORAGE UNIT | TRATTO - TORRE

Atlas Concorde Habitat Nyra Mist

Hammered

30x30x120 cm | 11³/₄"x11³/₄"x47¹/₄"

INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR	WALL	SIDE TABLE TRATTO - GIOTTO
Nyra Mist	Nyra 3D Qube Star	Atlas Concorde Habitat Fior di Bosco
Matte Sensitech 60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	Matte 50x120 cm 19 ⁵ / ₈ "x47 ¹ / ₄ "	Polished - Silk Ø 45 cm 17 ³ / ₄ " - Ø 65 cm 25 ⁵ / ₈ "



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



HOME BATHROOM

WALL
Nyra
3D Saddle Hay
Matte
40x80 cm | 15³/₄"x31¹/₂"



AN INTIMATE SPACE WHERE
SURFACES FEEL LIKE SKIN, WELCOMING
THE RITUALS OF SELF-CARE.



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR

Nyra
Hay
Matte Sensitech
80x80 cm | 31¹/₂"x31¹/₂"

OUTDOOR FLOOR

Log
Icon Oak
Matte Sensitech
20x120 cm | 7⁷/₈"x47¹/₄"

WALL

Atlas Plan Nyra
Hay
Hammered
160x320 cm | 63"x126"

Nyra
Field Hay
Matte
40x80 cm | 15³/₄"x31¹/₂"

Nyra
3D Saddle Hay
Matte
40x80 cm | 15³/₄"x31¹/₂"

SHOWER WALL

Atlas Plan Nyra
Hay
Hammered
160x320 cm | 63"x126"

SINK | ARMONIA

Atlas Concorde Habitat
Atlas Plan Nyra Hay
Hammered
162x324 cm | 63⁵/₈"x127"

STORAGE UNIT | TRATTO - TORRE

Atlas Concorde Habitat
Nyra Hay
Matte
30x15x90 cm | 11³/₄"x5⁷/₈"x35¹/₂"



FLOOR	WALL	SHOWER WALL	SINK ARMONIA	SHELF TRATTO - OMEGA
Nyra	Nyra	Atlas Plan Nyra	Atlas Concorde Habitat	Atlas Concorde Habitat
Hay	3D Saddle Hay	Hay	Atlas Plan Nyra Hay	Nyra Hay
Matte Sensitech	Matte	Hammered	Hammered	Matte
80x80 cm 31½"x31½"	40x80 cm 15¾"x31½"	160x320 cm 63"x126"	162x324 cm 63⅝"x127"	90x12x10 cm 35½"x4⅜" x37⅞"



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR		WALL	
Nyra Hay	Log Icon Oak	Nyra Hay	Nyra Field Hay
Matte Sensitech 80x80 cm 31½"x31½"	Matte Sensitech 20x120 cm 7⅞"x47⅞"	Hammered 160x320 cm 63"x126"	Matte 40x80 cm 15¾"x31½"



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Nyra
Hay
Matte Sensitech
80x80 cm | 31½"x31½"



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



SPA RESORT

WALL
Nyra
Ambrosia
Matte
120x278 cm | 47 1/4"x109 1/2"



DESIGN BEYOND AESTHETICS,
EMBODIED IN CERAMICS
THAT RESTORE BALANCE.



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR
Nyra
Hay
Outdoor Sensitech $\pm$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Nyra
Ambrosia
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

COLUMN
Nyra
Opus Hay
Matte
32x32 cm | 12 $\frac{5}{8}$ "x12 $\frac{5}{8}$ "

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel
Hammered
 $\varnothing$ 45 cm | 17 $\frac{3}{4}$ " - $\varnothing$ 65 cm | 25 $\frac{5}{8}$ " - $\varnothing$ 120 cm | 47 $\frac{1}{2}$ "



FLOOR	WALL	COLUMN	SIDE TABLE TRATTO - GIOTTO
Nyra	Nyra	Nyra	Atlas Concorde Habitat
Hay	Ambrosia	Opus Hay	Nyra Ambrosia - Boost Vision Camel
Outdoor Sensitech $\pm$ 20 mm	Matte	Matte	Hammered
120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	32x32 cm 12 ⁵ / ₈ "x12 ⁵ / ₈ "	Ø 45 cm 17 ³ / ₄ " - Ø 65 cm 25 ⁵ / ₈ " - Ø 120 cm 47 ¹ / ₂ "



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Nyra Hay

Outdoor Sensitech $\pm$ 20 mm

120x120 cm | 47¹/₄"x47¹/₄"

Nyra Ambrosia

Matte

120x278 cm | 47¹/₄"x109¹/₂"

WALL

Nyra Ambrosia

Matte

120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat

Nyra Ambrosia - Boost Vision Camel

Hammered

Ø 45 cm | 17³/₄" - Ø 65 cm | 25⁵/₈"



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



OUTDOOR FLOOR

Nyra
Hay
Outdoor Sensitech $\pm$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

Nyra
Hay Bordo Piscina
Outdoor Sensitech $\pm$ 20 mm
30x60 cm | 11 $\frac{3}{4}$ "x23 $\frac{5}{8}$ "

FACADE

Nyra
Ambrosia
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

BENCH | TRATTO - ARCO

Atlas Concorde Habitat
Precious Brown
Silk
150x42x42 cm | 59"x16 $\frac{1}{2}$ "x16 $\frac{1}{2}$ "

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel
Hammered
 $\varnothing$ 45 cm | 17 $\frac{3}{4}$ " - $\varnothing$ 65 cm | 25 $\frac{5}{8}$ " - $\varnothing$ 120 cm | 47 $\frac{1}{2}$ "



OUTDOOR FLOOR
Nyra
Hay
Outdoor Sensitech $\pm$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

FACADE
Nyra
Ambrosia
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel
Hammered
 $\varnothing$ 45 cm | 17 $\frac{3}{4}$ " - $\varnothing$ 65 cm | 25 $\frac{5}{8}$ "

FLOWER POT | TRATTO - HASHTAG
Atlas Concorde Habitat
Nyra Ambrosia
Hammered
80x24x48 cm | 31 $\frac{1}{2}$ "x9 $\frac{1}{2}$ "x18 $\frac{7}{8}$ "



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



HOTEL SUITE

WALL
Nyra
Star
Matte
120x278 cm | 47 1/4"x109 1/2"

Nyra
3D Qube Star
Matte
50x120 cm | 19 5/8"x47 1/4"



**SURFACES SHAPE WELCOMING
ATMOSPHERES, BRINGING FUNCTION
AND COMFORT TO EVERY DETAIL.**



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Nyra
Charcoal
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Nyra
3D Qube Star
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Nyra
Field Star
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Nyra
Star
Matte
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE
Nyra
Star
Matte
120x278 cm | 47¹/₄"x109¹/₂"

BENCH | TRATTO - ARCO
Atlas Concorde Habitat
Precious Brown
Silk
150x42x42 cm | 59"x16¹/₂"x16¹/₂"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17³/₄" - Ø 65 cm | 25⁵/₈"

INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR	WALL		BEDHEAD
Nyra Charcoal	Nyra 3D Qube Star	Nyra Star	Nyra Star
Matte Sensitech 120x120 cm 47 1/4"x47 1/4"	Matte 50x120 cm 19 5/8"x47 1/4"	Matte 120x278 cm 47 1/4"x109 1/2"	Matte 120x278 cm 47 1/4"x109 1/2"



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



OUTDOOR FLOOR
Nyra
Star
Outdoor Sensitech $\times$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

FURNITURE
Nyra
Star
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

BENCH | TRATTO - ARCO
Atlas Concorde Habitat
Precious Brown
Silk
150x42x42 cm | 59"x16 $\frac{1}{2}$ "x16 $\frac{1}{2}$ "



^
WALL
Nyra
3D Qube Star
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

>
SINK | EVOLUZIONE
Atlas Concorde Habitat
Nyra Star
Matte
120x45x12 cm | 47¹/₄"x17⁵/₈"x4³/₄"

>
SHELF | TRATTO - OMEGA
Atlas Concorde Habitat
Nyra Star
Matte
30x12x10 cm | 11³/₄"x4³/₄" x3⁷/₈"



FLOOR
Nyra
Charcoal
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Nyra
Star
Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FITNESS AREA

FLOOR
Nyra
Meteor
Matte Sensitech
80x80 cm | 31¹/₂"x31¹/₂"

WALL
Nyra
Star
Matte
40x80 cm | 15³/₄"x31¹/₂"



SPACES SHAPED BY TEXTURES
THAT SPEAK THE BODY'S LANGUAGE
IN TUNE WITH ITS HARMONY.



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR

Nyra
Meteor
Matte Sensitech
80x80 cm | 31¹/₂"x31¹/₂"

WALL

Nyra
Star
Matte
40x80 cm | 15³/₄"x31¹/₂"

BENCH | TRATTO - ARCO

Atlas Concorde Habitat
Precious Brown
Silk
150x42x42 cm | 59"x16¹/₂"x16¹/₂"

STORAGE UNIT | TRATTO - TORRE

Atlas Concorde Habitat
Precious Brown
Silk
30x30x120 cm | 11³/₄"x11³/₄"x47¹/₄"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17³/₄" - Ø 65 cm | 25⁵/₈"



FLOOR	WALL		COUNTERTOP
Nyra Meteor Matte Sensitech 80x80 cm 31 ¹ / ₂ "x31 ¹ / ₂ "	Nyra Star Matte 40x80 cm 15 ³ / ₄ "x31 ¹ / ₂ "	Nyra 3D Saddle Star Matte 40x80 cm 15 ³ / ₄ "x31 ¹ / ₂ "	Nyra Ambrosia Hammered 162x324 cm 63 ⁵ / ₈ "x127"



INDEX



INSPIRATION



DESIGN
GALLERY



KITCHEN WITH TERRACE
HOME STUDIO
VILLA
HOME BATHROOM
SPA RESORT
HOTEL SUITE
FITNESS AREA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ◊ NYRA RANGE
- ◊ SENSITECH
- ◊ TECHNICAL SPECIFICATIONS
- ◊ NYRA WORLD

Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

Floor Wall Bathroom furniture		Star	Hay	Sunlight	Mist	Meteor	Charcoal	Ambrosia
160x320 cm ** - 63"x126" - ID Skin	± 6 mm		Hammered		Hammered			Hammered
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ " - ID Skin	± 6 mm	Matte	Matte	Matte	Matte			Matte
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech			
75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	
Slabs for Countertops								
162x324 cm ** - 63 ⁵ / ₈ "x127" - ID Skin	± 12 mm		Hammered		Hammered			Hammered
Outdoor								
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech			Grip Sensitech
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm		Grip Sensitech		Grip Sensitech			
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech			
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech

Wall tiles

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

Wall		Star	Hay
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " Field	± 8,5 mm	Matte	Matte
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ " Field	± 8,5 mm	Matte	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " 3D Qube	± 10 mm	Matte	Matte
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ " 3D Saddle	± 10 mm	Matte	Matte

Sensitech pag.95

Destination of use

M Matte ± 6 mm	H Matte Sensitech ± 9 mm Grip Sensitech ± 9 mm Outdoor Sensitech ± 20 mm
-----------------------	---

** Atlas Plan

Anti-slip

R9 A Matte ± 6 mm R10 A+B Matte Sensitech ± 9 mm R11 C Grip Sensitech ± 9 mm R11 C Outdoor Sensitech ± 20 mm

Color-shading

V2 Slight Variation
All colors

ID Skin

This surface enhances the details and te fine texture of the product.
La superficie esalta i dettagli e la matericità del prodotto.



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



NYRA RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
NYRA WORLD

ENJOY
THE VIDEO



3D Saddle

DESIGN BY ALBERTO APOSTOLI

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



40x80 cm
15⁷/₈"x31¹/₂"

± 10 mm



Nyra 3D Saddle Star
40x80 cm - 15⁷/₈"x31¹/₂"



Nyra 3D Saddle Hay
40x80 cm - 15⁷/₈"x31¹/₂"

V2 Slight Variation
All colors

3D Qube

DESIGN BY HBA

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



50x120 cm
19⁵/₈"x47¹/₄"

± 10 mm



Nyra 3D Qube Star
50x120 cm - 19⁵/₈"x47¹/₄"



Nyra 3D Qube Hay
50x120 cm - 19⁵/₈"x47¹/₄"

V2 Slight Variation
All colors



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



NYRA RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
NYRA WORLD


ENJOY
THE VIDEO



Mosaico Favus

DESIGN BY ALBERTO APOSTOLI

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



A 30 cm - 11³/₄"
B 26 cm - 10¹/₄"

± 9 mm



V2 Slight Variation
All colors



Nyra Mosaico Favus
Star
Matte
30x26 cm
11³/₄"x10¹/₄"



Nyra Mosaico Favus
Hay
Matte
30x26 cm
11³/₄"x10¹/₄"



Nyra Mosaico Favus
Sunlight
Matte
30x26 cm
11³/₄"x10¹/₄"



Nyra Mosaico Favus
Mist
Matte
30x26 cm
11³/₄"x10¹/₄"



Nyra Mosaico Favus
Meteor
Matte
30x26 cm
11³/₄"x10¹/₄"



Nyra Mosaico Favus
Charcoal
Matte
30x26 cm
11³/₄"x10¹/₄"




Nyra Mosaico Favus
Ambrosia
Matte
30x26 cm
11³/₄"x10¹/₄"



Mosaico Opus

DESIGN BY ALBERTO APOSTOLI

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



A 31,9 cm - 14³/₅"
B 31,9 cm - 14⁷/₈"
a 3,2 cm - 1¹/₄"
b 4,3 cm - 7³/₅"

± 9 mm



V2 Slight Variation
All colors



Nyra Mosaico Opus
Star
Matte
32x32 cm
12³/₅"x12³/₅"



Nyra Mosaico Opus
Hay
Matte
32x32 cm
12³/₅"x12³/₅"



Nyra Mosaico Opus
Sunlight
Matte
32x32 cm
12³/₅"x12³/₅"



Nyra Mosaico Opus
Mist
Matte
32x32 cm
12³/₅"x12³/₅"



Nyra Mosaico Opus
Meteor
Matte
32x32 cm
12³/₅"x12³/₅"



Nyra Mosaico Opus
Charcoal
Matte
32x32 cm
12³/₅"x12³/₅"



Nyra Mosaico Opus
Ambrosia
Matte
32x32 cm
12³/₅"x12³/₅"



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS




NYRA RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
NYRA WORLD

ENJOY
THE VIDEO




Trim tiles


Porcelain trim tiles



Wall trim tiles




Outdoor trim tiles $\pm$ 20 mm



Outdoor Porcelain tiles $\nless 20$ mm

For further details on the 20mm thick products, related trim pieces and installation systems - in particular for recommendations and precautions during installation- please refer to the Outdoor Design section on the Atlas Concorde website or to the Outdoor Design catalogue. Per dettagli sul prodotto e sui relativi pezzi speciali in 20mm di spessore, per i sistemi di posa e, in particolare, per raccomandazioni, accorgimenti e precauzioni in fase di posa e progettazione, si raccomanda di prendere visione del catalogo Outdoor Design e della sezione Outdoor Design del sito Atlas Concorde.

Sensitech



Traditional anti-slip surface

The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe and the United States and in Russia. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.



Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa e negli stati Uniti e in Russia. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.



Porcelain tiles - Rectified monocaliber

Compliant with standards EN 14411 annex G group B1a
Compliant with standards ISO 13006 annex G group B1a
Conforme alla norma EN 14411 Appendice G gruppo B1a
Conforme alla norma ISO 13006 Appendice G gruppo B1a

Gres porcellanato - Rettificato monocalibro

160x320 cm - 63³/₈"x126³/₈"
120x278 cm - 47¹/₈"x109¹/₂"
120x240 cm - 47¹/₈"x94¹/₂"
75x150 cm - 29¹/₂"x59"
120x120 cm - 47¹/₈"x47¹/₈"
80x80 cm - 31¹/₂"x31¹/₂"
60x120 cm - 23³/₈"x47¹/₈"

± 6 mm
± 6 mm
± 9 mm
± 9 mm
± 9 mm
± 9 mm
± 9 mm

60x60 cm - 23³/₈"x23³/₈"
30x60 cm - 11¹/₈"x23³/₈"
120x120 cm - 47¹/₈"x47¹/₈"
80x80 cm - 31¹/₂"x31¹/₂"
60x120 cm - 23³/₈"x47¹/₈"
60x60 cm - 23³/₈"x23³/₈"

± 9 mm
± 9 mm
± 20 mm
± 20 mm
± 20 mm
± 20 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles			
			7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm
	Length and width Lunghezza e larghezza	ISO 10545-2	(mm)	(%)	(mm)				
	Thickness Spessore		± 0.9 (*) Non-rect. ± 0.4 (*) Rect.	± 0.6 (*) Non-rect. ± 0.3 (*) Rect.	± 2.0 (*) Non-rect. ± 1.0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Straightness of sides Rettilineità degli spigoli		± 0.5 (**)	± 5 (**)	± 0.5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0.8 (***) Non-rect. ± 0.4 (***) Rect.	± 0.5 (***) Non-rect. ± 0.3 (***) Rect.	± 1.5 (***) Non-rect. ± 0.8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Surface flatness Planarità	ISO 10545-2	c.c. ± 0.8 Non-rect. c.c. ± 0.6 Rect.	c.c. ± 0.5 Non-rect. c.c. ± 0.4 Rect.	c.c. ± 2.0 Non-rect. c.c. ± 1.8 Rect.				
			e.c. ± 0.8 Non-rect. e.c. ± 0.6 Rect.	e.c. ± 0.5 Non-rect. e.c. ± 0.4 Rect.	e.c. ± 2.0 Non-rect. e.c. ± 1.8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
			w. ± 0.8 Non-rect. w. ± 0.6 Rect.	w. ± 0.5 Non-rect. w. ± 0.4 Rect.	w. ± 2.0 Non-rect. w. ± 1.8 Rect.				
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _v ≤ 0.5% Individual Maximum 0.6% E _v ≤ 0.5% Valore massimo singolo 0.6%			≤ 0.1 %	≤ 0.1 %	≤ 0.1 %	≤ 0.1 %
		ASTM C373	Requirement ANSI A137.1 Water absorption max ≤ 0.5%			≤ 0.5 %	≤ 0.5 %	≤ 0.5 %	≤ 0.5 %
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7.5 mm - per spessore < 7.5 mm) S ≥ 1300N (for thickness ≥ 7.5 mm - per spessore ≥ 7.5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
	Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²
	Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)/(5)	EN 1339 Annex F	-			-	-	-	-
	Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55
	Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)
	Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)
	Reaction to fire Reazione al fuoco	-	Class A1 or A1 _g Classe A1 oppure A1 _g			A1 - A1 _g	A1 - A1 _g	A1 - A1 _g	A1 - A1 _g
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5
	Shood Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9		R11	R11
	Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	A+B	A+B+C	A+B+C
	Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			(•)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
		AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			(••)	Class P3	Class P4	Class P4
		UNE EN 16165 ANNEX C (EX UNE 41901 EX 2017)	Declared value Valore dichiarato			(•••)	Class C2	Class C3	Class C3
Coefficient of friction (COF) Coefficiente di attrito		B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico		ANSI A 326.3	-			dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(c.c.) The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(e.c.) The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(w.) The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
(2) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
(3) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
(4) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.
(a.) PTV ≥ 36 Wet on demand / su richiesta (**) P3 on demand / su richiesta (***c) C2 on demand / su richiesta



Wall tiles - Rectified monocaliber

Compliant with standards EN 14411 annex L group B1II
Compliant with standards ISO 13006 annex L group B1II
Conforme alla norma EN 14411 Appendice L gruppo B1II
Conforme alla norma ISO 13006 Appendice L gruppo B1II

Rivestimento - Rettificato monocalibro

50x120 cm - 19⁵/₈"x47¹/₈"
40x80 cm - 15¹/₈"x31¹/₂"
50x120 cm - 19⁵/₈"x47¹/₈"
40x80 cm - 15¹/₈"x31¹/₂"

± 8,5 mm
± 8,5 mm
± 10 mm
± 10 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Wall tiles	
			7 cm ≤ N < 15 cm	N ≥ 15 cm			
	Length and width Lunghezza e larghezza	ISO 10545-2	(mm)	(%)	(mm)		
	Thickness Spessore		± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	Suitable for Conforme	
	Straightness of sides Rettilineità degli spigoli		± 0,5 (**)	± 10 (**)	± 0,5 (**)	Suitable for Conforme	
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	Suitable for Conforme	
	Surface flatness Planarità	ISO 10545-2	c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme
		e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.			
		w. ± 0,6 Rect.	w. ± 0,4 Rect.	w. ± 1,8 Rect.			
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E _v ≤ 20%	
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	
	Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm ²			R ≥ 15 N/mm ²	
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,06% (0,6mm/m)	
	Crazing resistance Resistenza al cavillo	ISO 10545-11	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)	
	Reaction to fire Reazione al fuoco	-	Class A1 Classe A1			A1	
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Minimum Class 3 Classe 3 minima			5	
	Release of dangerous substances: Cadmium (in mg/dm ²) and Lead (in mg/dm ²) Rilascio di sostanze pericolose: Cadmio (in mg/dm ²) e Piombo (in mg/dm ²)	ISO 10545-15	Declared value Valore dichiarato			≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(c.c.) The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(e.c.) The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(w.) The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. - Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. - I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. -Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. - Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. - Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

INDEX



INSPIRATION



DESIGN GALLERY



SURFACE RANGE & TECHNICAL SPECS



NYRA RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
NYRA WORLD

ENJOY THE VIDEO





Furniture in combination with
Atlas Concorde surfaces

atlasconcorde.com >
ATLAS CONCORDE HABITAT



Bathroom Furniture

Custom Elements

Essenza

MONO
Single Sink

DUO
Twin Sink

UP
Sit-on basin

BLOCK
Free-Standing

LEVEL
Top

Evoluzione

MONO
Single Sink

DUO
Twin Sink

BLOCK
Free-standing

Dialogo

Designer Sinks
Single

Designer Sinks
Twin

Armonia

Single drawer

Twin drawer

Tables

BROOKLYN 75
Dining Tables

BROOKLYN 25
Coffee Tables

INCONTRO 75
Dining Tables

INCONTRO 25
Coffee Tables

CONTATTO
Side Table

MANHATTAN
Hospitality Tables

COSMOPOLITAN
Hospitality Tables

Signature Objects

BY PIERO LISSONI

Tratto

LIBRA
T-Frame

ELLE
L-Frame

TORRE
Wall I-Frame

TORRE
Ground I-Frame

TORRE
Slim Wall I-Frame

LINEA
T-Shelf

OMEGA
U-Shelf

GIOTTO
Side Table

HASHTAG
Flower Pot

ARCO
Bench

QUADRO - 3D QUADRO
Tray

DISCO - 3D DISCO
Tray

FILO
Serving Board

TRAMA
Centerpiece

INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



NYRA RANGE
SENSTECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
NYRA WORLD

ENJOY
THE VIDEO





Stone and thought
in perfect balance.

DISCOVER
NYRA WORLD



Ethical identity



MADE IN ITALY

For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali



Product declarations / Dichiarazioni di prodotto




Certifications for export to international markets*



Product certifications / Certificazioni di prodotto



Certification for buildings / Rating dell'edificio



Ratings and memberships



* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

⁽¹⁾ Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2024
⁽²⁾ Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32>
⁽³⁾ Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it
⁽⁴⁾ Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edili che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.

INDEX




INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



NYRA RANGE
SENSTECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
NYRA WORLD

ENJOY
THE VIDEO





atlasconcorde.com

Copyright 2025 by Ceramiche Atlas Concorde S.p.A.
(41042 Spezzano di Fiorano (MO) - Italia)
September 2025