

MADE IN ITALY. MADE TO EXCEL.

BOOST VISION

Interactive version



CONCRETE LOOK

PORCELAIN TILES

Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит

WALL TILES

Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com



INDEX

- INSPIRATION
- EXPLORING THE CITY
- SURFACE RANGE & TECHNICAL SPECIFICATIONS

INDEX



INSPIRATION



EXPLORING THE CITY



SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





Concrete Textures reimagined

URBAN ELEGANCE





Nature Within

SEAMLESS LIVING

INDEX



INSPIRATION



METAL LOOK
COLORS
COLLABORATION WITH PARK

EXPLORING
THE CITY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Corten, Steel and Brass accents

THE ART OF CONTRAST



GREY

GLOW

CAMEL

BRASS

HAZE

CORTEN

ASH

STEEL

Warm tones shaped by Light and Matter

CHROMATIC DEPTH

One Space

the Atlas Concorde
ceramic ecosystem



Architecture as Vision

PARK

Fondato a Milano nel 2000 da Filippo Pagliani e Michele Rossi, Park è un collettivo interdisciplinare di architetti, designer e ricercatori che opera nei campi dell'architettura, dell'urbanistica, del paesaggio, dell'interior e del product design. Per Boost Vision, Park ha disegnato THE CITY: una visione urbana fluida, in cui materia, luce e geometria costruiscono nuove relazioni tra spazio e forma.

Park, founded in Milan in 2000 by Filippo Pagliani and Michele Rossi, is a multidisciplinary collective bringing together architects, designers, and researchers. Their work spans architecture, urban planning, landscape, interiors, and product design. For Boost Vision, Park designed THE CITY: a fluid urban vision in which matter, light, and geometry create new relationships between space and form.

INDEX



INSPIRATION



METAL LOOK
COLORS
COLLABORATION WITH PARK

EXPLORING
THE CITY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





“We envisioned a fluid, open city.
Boost Vision gave us the opportunity to work
with a material that suggests architecture
without dictating it.”

Filippo Pagliani e Michele Rossi
Founding Partners, Park

Vision becomes Space

THE CITY

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR

HOTEL SUITE

URBAN LIBRARY

YOGA STUDIO

PENTHOUSE

HOME BATHROOM

VILLA IN&OUT

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





EXPLORING THE CITY



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze

VILLA IN&OUT
Haze

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Image Gallery

Hotel Lobby&Bar
Camel | Glow | Brass



Hotel Suite
Glow | Camel



Urban Library
Ash | Glow



Yoga Studio
Ash | Corten



Penthouse
Haze | Steel



Home Bathroom
Haze | Steel



Villa In&Out
Grey | Corten



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





HOTEL LOBBY&BAR



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



OUTDOOR FLOOR

**Boost Vision
Grey**
Outdoor Sensitech ✕ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

**Log
Icon Oak Deck**
Outdoor Sensitech ✕ 20 mm
60x120 cm | 23⁵/₈"x47¹/₄"

FACADE

**Boost Vision
Camel**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

FLOOR

Boost Vision
Camel

Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL

Boost Vision
Glow

Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Vision
Brass

Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Vision
3D Qube Camel

Matte
50x120 cm | 19⁵/₈"x47¹/₄"

FURNITURE

Nyra
Mist

Matte
120x278 cm | 47¹/₄"x109¹/₂"

Atlas Plan
Taj Mahal

Silk
162x324 cm | 63⁵/₈"x127"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat
Boost Icor Bone - Dune

Hammered
Ø 45 cm | 17³/₄" - Ø 65 cm | 25⁵/₈"



FLOOR
**Boost Vision
Camel**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Boost Vision
Glow**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

**Boost Vision
Brass**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE
**Nyra
Mist**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

**Atlas Plan
Taj Mahal**
Silk
162x324 cm | 63⁵/₈"x127"

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





WALL
Boost Vision
Brass
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS




ENJOY
THE VIDEO





FLOOR
Boost Vision
Camel
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25⁵/₈"



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
**Boost Vision
Camel**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Boost Vision
Glow**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

**Boost Vision
Brass**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

**Boost Vision
3D Qube Camel**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

FURNITURE
**Boost Vision
3D Qube Camel**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

COUNTERTOP
**Atlas Plan
Boost Vision Glow**
Hammered
162x324 cm | 63⁵/₈"x127"

HOSPITALITY TABLE | MANHATTAN
**Atlas Concorde Habitat
Desert Soul**
Polished
70x70 cm | 27¹/₂"x27¹/₂"





FLOOR

Boost Vision
Camel

Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL

Boost Vision
Glow

Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Vision
3D Qube Camel

Matte
50x120 cm | 19⁵/₈"x47¹/₄"

HOSPITALITY TABLE | MANHATTAN

Atlas Concorde Habitat
Desert Soul

Polished
70x70 cm | 27¹/₂"x27¹/₂"



^

FURNITURE

Boost Vision
3D Qube Camel

Matte
50x120 cm | 19⁵/₈"x47¹/₄"

COUNTERTOP

Atlas Plan
Boost Vision Glow

Hammered
162x324 cm | 63⁵/₈"x127"

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Vision
Ash
Matte
120x278 cm | 47¹/₄"x109¹/₂"

WALL
Boost Vision
3D Qube Camel
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25⁵/₈"



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Vision
Ash
Matte
120x278 cm | 47¹/₄"x109¹/₂"

WALL
Boost Vision
3D Qube Camel
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25⁵/₈"



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





HOTEL SUITE



FLOOR
Atlas Plan
Boost Vision Glow
Hammered
160x320 cm | 63"x126"

WALL
Boost Vision
3D Veil Glow
Matte
40x80 cm | 15³/₄"x31¹/₂"

FURNITURE
Atlas Plan
Boost Vision Camel
Hammered
160x320 cm | 63"x126"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25⁵/₈"

TRAY | TRATTO - DISCO
Atlas Concorde Habitat
Nero Marquina
Polished - Silk
Ø 25 cm | 9⁷/₈"

The City — Hotel Suite

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR
Atlas Plan
Boost Vision Glow
Hammered
160x320 cm | 63"x126"

WALL
Atlas Plan
Boost Vision Camel
Hammered
160x320 cm | 63"x126"

Boost Vision
3D Veil Glow
Matte
40x80 cm | 15³/₄"x31¹/₂"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25⁵/₈"



FLOOR
Atlas Plan
Boost Vision Glow
Hammered
160x320 cm | 63"x126"

WALL
Atlas Plan
Boost Vision Camel
Hammered
160x320 cm | 63"x126"

SINK | EVOLUZIONE DUO
Atlas Concorde Habitat
Boost Vision Glow
Matte
270x45x12 cm | 106¹/₄"x17³/₄"x4³/₄"

VANITY UNIT | ARMONIA
Boost Vision
Glow
Matte
60-30-90x45x32 cm
23⁵/₈"-11³/₄"-35³/₈"x17³/₄"x12⁵/₈"

SHELF | TRATTO - OMEGA
Atlas Concorde Habitat
Boost Vision Glow
Matte
30x12x10 cm | 11³/₄"x4³/₄" x3⁷/₈"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25⁵/₈"



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE

Glow | Camel

URBAN LIBRARY

Ash | Glow

YOGA STUDIO

Ash | Corten

PENTHOUSE

Haze | Steel

HOME BATHROOM

Haze | Steel

VILLA IN&OUT

Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR
Atlas Plan
Boost Vision Glow
Hammered
160x320 cm | 63"x126"

WALL
Boost Vision
3D Veil Glow
Matte
40x80 cm | 15³/₄"x31¹/₂"

^
SHELF | TRATTO - OMEGA
Atlas Concorde Habitat
Precious Brown
Silk
30x12x10 cm | 11³/₄"x4³/₄" x3⁷/₈"

>
STORAGE UNIT | TRATTO - TORRE
Atlas Concorde Habitat
Precious Brown
Silk
30x30x60 cm | 11³/₄"x11³/₄"x23⁵/₈"



URBAN LIBRARY



OUTDOOR FLOOR

Boost Vision
Ash
Grip Sensitech
120x120 cm | 47 1/4" x 47 1/4"

FACADE

Boost Vision
Glow
Matte
120x278 cm | 47 1/4" x 109 1/2"

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR
Boost Vision
Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
Glow
Matte
120x278 cm | 47 1/4"x109 1/2"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17 3/4" - Ø 65 cm | 25 5/8" - Ø 120 cm | 47 1/2"



FLOOR
Boost Vision
Ash
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25⁵/₈"

TRAY | TRATTO - QUADRO
Atlas Concorde Habitat
Nero Marquina
Polished - Silk
36x36 cm | 14¹/₈"x14¹/₈"

TRAY | TRATTO - DISCO
Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel
Hammered
Ø 36 cm | 14¹/₈"



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Vision
Ash
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 65 cm | 25⁵/₈"



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Vision
Ash
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

TRAY | TRATTO – DISCO
Atlas Concorde Habitat
Nero Marquina
Polished – Silk
Ø 25 cm | 9⁷/₈"

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





YOGA STUDIO



OUTDOOR FLOOR
Boost Vision
Ash
Outdoor Sensitech $\pm$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

FACADE
Boost Vision
Grey
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost Vision
Corten
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

INDOOR FLOOR
Boost Vision
Ash
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



OUTDOOR FLOOR
Boost Vision
Ash
Outdoor Sensitech $\pm$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

INDOOR FLOOR
Boost Vision
Ash
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Vision
Ash
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

FURNITURE
Boost Vision
Corten
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

STORAGE UNIT | TRATTO - TORRE SLIM
Atlas Concorde Habitat
Boost Vision Glow
Hammered
30x15x90 cm | 11 $\frac{3}{4}$ "x5 $\frac{7}{8}$ "x35 $\frac{1}{2}$ "

STORAGE UNIT | TRATTO - TORRE
Atlas Concorde Habitat
Boost Vision Glow
Hammered
30x30x120 cm | 11 $\frac{3}{4}$ "x11 $\frac{3}{4}$ "x47 $\frac{1}{4}$ "

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR

Boost Vision
Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL

Vest
Cotton
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"

FURNITURE

Atlas Plan
Boost Vision Camel
Hammered
160x320 cm | 63"x126"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17 3/4"
Ø 65 cm | 25 5/8"
Ø 120 cm | 47 1/2"



OUTDOOR FLOOR

Boost Vision
Ash
Outdoor Sensitech ± 20 mm
120x120 cm | 47 1/4"x47 1/4"

FURNITURE

Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"



FLOOR
Boost Vision
Ash
Matte Sensitech
80x80 cm | 47³/₄"x47¹/₄"

WALL
Boost Vision
3D Veil Camel
Matte
40x80 cm | 15³/₄"x31¹/₂"

SHELF | TRATTO - OMEGA
Atlas Concorde Habitat
Boost Vision Corten
Matte
90x12x10 cm | 35¹/₂"x4³/₄" x3⁷/₈"

BENCH | TRATTO - ARCO
Atlas Concorde Habitat
Boost Vision Corten
Matte
150x42x42 cm | 59"x16¹/₂"x16¹/₂"



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel


VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





PENTHOUSE



FLOOR	WALL	FURNITURE	COUNTERTOP
Boost Vision	Boost Vision	Boost Vision	Atlas Plan
Haze	Steel	Haze	Silver Root
Matte Sensitech	Matte	Matte	Silk
120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	162x324 cm 63 ⁵ / ₈ "x127"

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR

Boost Vision
Haze

Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL

Boost Vision
Steel

Matte
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE

Boost Vision
Haze

Matte
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP

Atlas Plan
Silver Root

Silk
162x324 cm | 63⁵/₈"x127"

DINING TABLE | INCONTRO

Atlas Concorde Habitat
Fior di Bosco

Silk
300x100x75 cm | 118¹/₈"x39³/₈"x29¹/₂"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat
Nero Marquina

Polished - Silk
Ø 120 cm | 47¹/₂"

Atlas Concorde Habitat
Boost Icor Bone - Dune

Hammered
Ø 65 cm | 25⁵/₈"



FLOOR
Boost Vision
Haze
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Vision
Steel
Matte
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Atlas Plan
Silver Root
Silk
162x324 cm | 63⁵/₈"x127"



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





OUTDOOR FLOOR
Boost Vision
Haze
Grip Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 120 cm | 47¹/₂"

Atlas Concorde Habitat
Nero Marquina
Polished - Silk
Ø 65 cm | 25⁵/₈"

FLOWER POT | TRATTO - HASHTAG
Atlas Concorde Habitat
Silver Root
Silk
40x40x48 cm | 15³/₄"x15³/₄"x18⁷/₈"

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





HOME BATHROOM

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR
**Boost Vision
Haze**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Boost Vision
3D Qube Glow**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Boost Vision
Haze**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SINK | ESSENZA DUO
**Atlas Concorde Habitat
Boost Vision Grey**
Matte
240x50x15 cm | 94¹/₂"x19⁵/₈"x5⁷/₈"

SINK | ESSENZA THIN
**Atlas Concorde Habitat
Boost Vision Grey**
Matte
240x35x5 cm | 94¹/₂"x13³/₄"x2"

FLOOR
Boost Vision
Haze
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Vision
3D Qube Glow
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Vision
Haze
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SHOWER WALL
Boost Vision
Steel
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SINK | ESSENZA DUO
Atlas Concorde Habitat
Boost Vision Grey
Matte
240x50x15 cm | 94¹/₂"x19⁵/₈"x5⁷/₈"

SHELF | TRATTO - OMEGA
Atlas Concorde Habitat
Precious Brown
Silk
60x12x10 cm | 23⁵/₈"x4³/₄"x3⁷/₈"

STORAGE UNIT | TRATTO - TORRE SLIM
Atlas Concorde Habitat
Precious Brown
Silk
30X15x90 cm | 11³/₄"x5⁷/₈"x35¹/₂"

BENCH | TRATTO - ARCO
Atlas Concorde Habitat
Precious Brown
Silk
150x42x42 cm | 59"x16¹/₂"x16¹/₂"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Fior di Bosco
Polished - Silk
Ø 45 cm | 17³/₄" - Ø 65 cm | 25⁵/₈"



^
WALL
Boost Vision
Haze
Matte
120x278 cm | 47 1/4"x109 1/2"

TRAY | TRATTO - QUADRO
Atlas Concorde Habitat
Nero Marquina
Polished - Silk
25x25 cm | 9 7/8"x9 7/8"



FLOOR
Boost Vision
Haze
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Vision
Steel
Matte
120x278 cm | 47 1/4"x109 1/2"

SHELF | TRATTO - OMEGA
Atlas Concorde Habitat
Precious Brown
Silk
90x12x10 cm | 35 1/2"x4 3/4" x3 7/8"

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





WALL
Boost Vision
Steel
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SHELF | TRATTO - OMEGA
Atlas Concorde Habitat
Precious Brown
Silk
90x12x10 cm | 35¹/₂"x4³/₄" x3⁷/₈"



VILLA IN&OUT



OUTDOOR FLOOR
Boost Vision
Grey
Outdoor Sensitech $\pm$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

FACADE
Boost Vision
Grey
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost Vision
Corten
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

BENCH | TRATTO - ARCO
Atlas Concorde Habitat
Boost Vision Corten
Matte
150x42x42 cm | 59"x16 $\frac{1}{2}$ "x16 $\frac{1}{2}$ "

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



OUTDOOR FLOOR

Boost Vision
Grey

Outdoor Sensitech ✕ 20 mm
120x120 cm | 47 1/4" x 47 1/4"

Log
Icon Oak Deck

Outdoor Sensitech ✕ 20 mm
60x120 cm | 23 3/8" x 47 1/4"

FACADE

Boost Vision
Grey

Matte
120x278 cm | 47 1/4" x 109 1/2"

Boost Vision
Corten

Matte
120x278 cm | 47 1/4" x 109 1/2"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat
Boost Icor Bone - Dune

Hammered
Ø 45 cm | 17 3/4" - Ø 65 cm | 25 5/8"

Atlas Concorde Habitat
Nero Marquina

Polished - Silk
Ø 120 cm | 47 1/2"



OUTDOOR FLOOR
Boost Vision
Grey
Outdoor Sensitech $\pm$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

FACADE
Boost Vision
Grey
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost Vision
Corten
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17 $\frac{3}{4}$ " - Ø 65 cm | 25 $\frac{5}{8}$ "



SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Nero Marquina
Polished - Silk
Ø 65 cm | 25 $\frac{5}{8}$ "

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Vision
Grey
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"

WALL
Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Vision
Haze
Matte
120x278 cm | 47 1/4"x109 1/2"

SHELF | TRATTO - OMEGA
Atlas Concorde Habitat
Precious Brown
Silk
90x12x10 cm | 35 1/2"x4 3/4" x37 1/8"

STORAGE UNIT | TRATTO - TORRE
Atlas Concorde Habitat
Precious Brown
Silk
30x30x120 cm | 11 3/4"x11 3/4"x47 1/4"

DINING TABLE | INCONTRO
Atlas Concorde Habitat
Boost White
Hammered
300x100x75 cm | 118 1/8"x39 3/8"x29 1/2"

INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
**Boost Vision
Grey**
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
**Boost Vision
Haze**
Matte
120x278 cm | 47 1/4"x109 1/2"

SIDE TABLE | TRATTO - GIOTTO
**Atlas Concorde Habitat
Nero Marquina**
Polished - Silk
Ø 120 cm | 47 1/2"

**Atlas Concorde Habitat
Boost Icor Bone - Dune**
Hammered
Ø 65 cm | 25 5/8"



INDEX



INSPIRATION



EXPLORING
THE CITY



IMAGE GALLERY

HOTEL LOBBY&BAR
Camel | Glow | Brass

HOTEL SUITE
Glow | Camel

URBAN LIBRARY
Ash | Glow

YOGA STUDIO
Ash | Corten

PENTHOUSE
Haze | Steel

HOME BATHROOM
Haze | Steel

VILLA IN&OUT
Grey | Corten

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





WALL
Boost Vision
Corten
Matte
120x278 cm | 47 1/4"x109 1/2"



INDEX



INSPIRATION



EXPLORING
THE CITY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST VISION RANGE
SENSITECH
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ◇ BOOST VISION RANGE
- ◇ SENSITECH
- ◇ TECHNICAL SPECIFICATIONS
- ◇ BOOST WORLD

Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Gres cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

— Concrete look

		Glow	Camel	Ash	Haze	Grey
Floor	Wall	Bathroom furniture				
160x320 cm ** - 63"x126" - ID Skin	± 6 mm	Hammered	Hammered			
120x278 cm - 47 1/4"x109 1/2" - ID Skin	± 6 mm	Matte	Matte	Matte	Matte	Matte
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
80x80 cm - 31 1/2"x31 1/2"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x60 cm - 23 5/8"x23 5/8"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
Slabs for Countertops						
162x324 cm ** - 63 5/8"x127" - ID Skin	± 12 mm	Hammered	Hammered			
Outdoor						
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
80x80 cm - 31 1/2"x31 1/2"	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
120x120 cm - 47 1/4"x47 1/4"	± 20 mm			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
60x120 cm - 23 5/8"x47 1/4"	± 20 mm			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
60x60 cm - 23 5/8"x23 5/8"	± 20 mm			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech

— **Metal look**

Floor Wall Bathroom furniture			Corten	Brass	Steel
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm		Matte	Matte	Matte
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm		Matte Sensitech	Matte Sensitech	Matte Sensitech

Wall tiles

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

— **Concrete look**

— Concrete look			
Wall			
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ " Field	± 8,5 mm	Matte	Matte
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ " 3D Veil	± 10 mm	Matte	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " Field	± 8,5 mm	Matte	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " 3D Qube	± 10 mm	Matte	Matte

Sensitech pag.99

Destination of use

	Matte $\frac{1}{8}$ 6 mm		Matte <i>Sensitech</i> $\frac{1}{8}$ 9 mm Grip <i>Sensitech</i> $\frac{1}{8}$ 9 mm Outdoor <i>Sensitech</i> $\frac{1}{8}$ 20 mm		R9 A Matte $\frac{1}{8}$ 6 mm R10 A+B Matte <i>Sensitech</i> $\frac{1}{8}$ 9 mm R11 C Grip <i>Sensitech</i> $\frac{1}{8}$ 9 mm R11 C Outdoor <i>Sensitech</i> $\frac{1}{8}$ 20 mm
---	--------------------------	---	---	---	--

- Atlas Plan

— Concrete look

— Metal look

CORTEN

BRASS

STEEL

95

3D Veil

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

40x80 cm
15³/₄"x31¹/₂"

± 10 mm



V2 Slight Variation
All colors



Boost Vision 3D Veil Glow
Matte
40x80 cm - 15³/₄"x31¹/₂"
± 10 mm



Boost Vision 3D Veil Camel
Matte
40x80 cm - 15³/₄"x31¹/₂"
± 10 mm



3D Qube

DESIGNED BY HBA

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

50x120 cm
19⁵/₈"x47¹/₄"

± 10 mm



V2 Slight Variation
All colors



Boost Vision 3D Qube Glow
Matte
50x120 cm - 19⁵/₈"x47¹/₄"
± 10 mm



Boost Vision 3D Qube Camel
Matte
50x120 cm - 19⁵/₈"x47¹/₄"
± 10 mm



INDEX



INSPIRATION



EXPLORING
THE CITY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST VISION RANGE
SENSITECH
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



Metal Look 120x278

V2 Slight Variation
All colors

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



120x278 cm
47 1/4"x109 1/2"

± 6 mm





Boost Vision Corten
Matte
120x278 cm - 47 1/4"x109 1/2"
± 6 mm



Boost Vision Brass
Matte
120x278 cm - 47 1/4"x109 1/2"
± 6 mm



Boost Vision Steel
Matte
120x278 cm - 47 1/4"x109 1/2"
± 6 mm

V2 Slight Variation
All colors

Metal Look

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



60x120 cm
23 5/8"x47 1/4"

± 9 mm





Boost Vision Corten
Matte [Sensitech](#)
60x120 cm - 23 5/8"x47 1/4"
± 9 mm



Boost Vision Brass
Matte [Sensitech](#)
60x120 cm - 23 5/8"x47 1/4"
± 9 mm



Boost Vision Steel
Matte [Sensitech](#)
60x120 cm - 23 5/8"x47 1/4"
± 9 mm



INDEX



INSPIRATION



EXPLORING
THE CITY



SURFACE
RANGE &
TECHNICAL
SPECS




BOOST VISION RANGE
SENSITECH
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO




Trim tiles


Porcelain trim tiles



Wall trim tiles




Outdoor trim tiles $\pm$ 20 mm



Outdoor Porcelain tiles $\nless 20$ mm

For further details on the 20mm thick products, related trim pieces and installation systems - in particular for recommendations and precautions during installation- please refer to the Outdoor Design section on the Atlas Concorde website or to the Outdoor Design catalogue. Per dettagli sul prodotto e sui relativi pezzi speciali in 20mm di spessore, per i sistemi di posa e, in particolare, per raccomandazioni, accorgimenti e precauzioni in fase di posa e progettazione, si raccomanda di prendere visione del catalogo Outdoor Design e della sezione Outdoor Design del sito Atlas Concorde.

Sensitech



Traditional anti-slip surface

The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe and the United States. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa e negli stati Uniti. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.

MORE
INFORMATION



INDEX



INSPIRATION



EXPLORING THE CITY



SURFACE RANGE & TECHNICAL SPECS



BOOST VISION RANGE
SENSITECH
TECHNICAL SPECIFICATIO
BOOST WORLD

ENJOY
THE VIDEO





Porcelain tiles - Rectified monocaliber

Gres porcellanato - Rettificato monocalibro

Compliant with standards EN 14411 annex G group B1a
Compliant with standards ISO 13006 annex G group B1a
Conforme alla norma EN 14411 Appendice G gruppo B1a
Conforme alla norma ISO 13006 Appendice G gruppo B1a

120x278 cm - 47 1/4" x 109 1/2"
120x120 cm - 47 1/4" x 47 1/4"
80x80 cm - 31 1/2" x 31 1/2"
60x120 cm - 23 3/8" x 47 1/4"
30x60 cm - 11 1/4" x 23 3/8"

± 6 mm
± 9 mm
± 9 mm
± 9 mm
± 9 mm

120x120 cm - 47 1/8" x 47 1/8"
60x120 cm - 23 3/8" x 47 1/8"
60x60 cm - 23 3/8" x 23 3/8"

± 20 mm
± 20 mm
± 20 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles			
			7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm
	Length and width Lunghezza e larghezza	ISO 10545-2	(mm)	(%)	(mm)				
	Thickness Spessore		± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Straightness of sides Rettilineità degli spigoli		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Surface flatness Planarità	ISO 10545-2							
			± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
			c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _v ≤ 0,5% Individual Maximum 0,6% E _v ≤ 0,5% Valore massimo singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
		ASTM C373	Requirement ANSI A137.1 Water absorption max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
	Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²
	Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)		-			-	-	-	≥ T11 120x120 ≥ T11 80x80 ≥ U4 60x120
	Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
		EN 1339 Annex F	-			-	-	-	-
	Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
	Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)
	Reaction to fire Reazione al fuoco	-	Class A1 or A1 _l Classe A1 oppure A1 _l			A1 - A1 _l	A1 - A1 _l	A1 - A1 _l	A1 - A1 _l
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5
	Shood Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9	R10	R11	R11
	Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	A+B	A+B+C	A+B+C
		BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			(*)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
	Pendulum Friction Test Metodo del Pendolo	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			(**)	Class P3	Class P4	Class P4
		UNE EN 16165 ANNEX C (EX UNE 41901 EX 2017)	Declared value Valore dichiarato			(***)	Class C2	Class C3	Class C3
			D. M. 236/89 del 14/06/89 μ >0,40 per elemento sconvolante cuolo su pavimentazione asciutta μ >0,40 per elemento sconvolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico		ANSI A 326,3	-			dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
(**) The permissible deviation, in % or mm, of the average thickness for each tile from work size thickness (WS). Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(c.c.) The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive e alle pavimentazioni stradali veicolari.
(2) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
(3) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
(4) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.
(a) PTV ≥ 36 Wet on demand / su richiesta (aa) P3 on demand / su richiesta (aaa) C2 on demand / su richiesta



Wall tiles - Rectified monocaliber

Rivestimento - Rettificato monocalibro

Compliant with standards EN 14411 annex L group B1II
Compliant with standards ISO 13006 annex L group B1II
Conforme alla norma EN 14411 Appendice L gruppo B1II
Conforme alla norma ISO 13006 Appendice L gruppo B1II

50x120 cm - 19 5/8" x 47 1/4"
40x80 cm - 15 1/4" x 31 1/2"
50x120 cm - 19 5/8" x 47 1/4"
40x80 cm - 15 1/4" x 31 1/2"

± 8,5 mm
± 8,5 mm
± 10 mm
± 10 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Wall tiles	
			7 cm ≤ N < 15 cm	N ≥ 15 cm			
			(mm)	(%)	(mm)		
	Length and width Lunghezza e larghezza	ISO 10545-2	± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	Suitable for Conforme	
	Thickness Spessore		± 0,5 (**)	± 10 (**)	± 0,5 (**)	Suitable for Conforme	
	Straightness of sides Rettilineità degli spigoli		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	Suitable for Conforme	
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,4 (****) Rect.	± 0,3 (****) Rect.	± 1,5 (****) Rect.	Suitable for Conforme	
	Surface flatness Planarità	ISO 10545-2	c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme
			e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.		
			w. ± 0,6 Rect.	w. ± 0,4 Rect.	w. ± 1,8 Rect.		
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E _v ≤ 20%	
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	
	Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm ²			R ≥ 15 N/mm ²	
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,06% (0,6mm/m)	
	Crazing resistance Resistenza al cavillo	ISO 10545-11	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)	
	Reaction to fire Reazione al fuoco	-	Class A1 Classe A1			A1	
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Minimum Class 3 Classe 3 minima			5	
	Release of dangerous substances: Cadmium (in mg/dm ²) and Lead (in mg/dm ²) Rilascio di sostanze pericolose: Cadmio (in mg/dm ²) e Piombo (in mg/dm ²)	ISO 10545-15	Declared value Valore dichiarato			≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	



Furniture in combination with
Atlas Concorde surfaces

atlasconcorde.com >
ATLAS CONCORDE HABITAT



Bathroom Furniture

Custom Elements

Essenza

MONO
Single Sink

DUO
Twin Sink

UP
Sit-on basin

BLOCK
Free-Standing

LEVEL
Top

Evoluzione

MONO
Single Sink

DUO
Twin Sink

BLOCK
Free-standing

Dialogo

Designer Sinks
Single

Designer Sinks
Twin

Armonia

Single drawer

Twin drawer

Tables

BROOKLYN 75
Dining Tables

BROOKLYN 25
Coffee Tables

INCONTRO 75
Dining Tables

INCONTRO 25
Coffee Tables

CONTATTO
Side Table

MANHATTAN
Hospitality Tables

COSMOPOLITAN
Hospitality Tables

Signature Objects

BY PIERO LISSONI

Tratto

LIBRA
T-Frame

ELLE
L-Frame

TORRE
Wall I-Frame

TORRE
Ground I-Frame

TORRE
Slim Wall I-Frame

LINEA
T-Shelf

OMEGA
U-Shelf

GIOTTO
Side Table

HASHTAG
Flower Pot

ARCO
Bench

QUADRO - 3D QUADRO
Tray

DISCO - 3D DISCO
Tray

FILO
Serving Board

TRAMA
Centerpiece

INDEX



INSPIRATION



EXPLORING
THE CITY



SURFACE
RANGE &
TECHNICAL
SPECS




BOOST VISION RANGE
SENSITECH
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



BOOSTWORLD



Boost your style

Boost World is a design tool that combines ceramic surfaces in their inspiration, style, and tone, allowing for coordinated solutions in any space.

Boost World è uno strumento progettuale che coniuga in un’unica prospettiva superfici ceramiche differenti per ispirazione ma affini per stile e tonalità, consentendo soluzioni coordinate in ogni destinazione d’uso.

DISCOVER
BOOST WORLD



Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali



Product declarations / Dichiarazioni di prodotto




Certifications for export to international markets*



Product certifications / Certificazioni di prodotto



Certification for buildings / Rating dell'edificio



Ratings and memberships



* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

⁽¹⁾ Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2024
⁽²⁾ Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32>
⁽³⁾ Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it
⁽⁴⁾ Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edili che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.



atlasconcorde.com

Copyright 2025 by Ceramiche Atlas Concorde S.p.A.
(41042 Spezzano di Fiorano (MO) - Italia)
September 2025