

Vitra



NovaDot



Wall / Duvar

K957458R0001VTS0 120x280

Naturalux Crosscut Light grey / Crosscut Açık gri



Floor / Yer

K957765R0001VTS0 120x120

NovaDot Dark grey / Koyu gri



Wall / Duvar
K957710R0001VTS0 120x120
NovaDot Light greige / Açık grej
K957465R0001VTS0 120x280
Novatone Decor, Red travertine /
Dekor, Kırmızı traverten

Floor / Yer
K957761R0001VTS0 120x120
NovaDot Dark greige / Koyu grej



Floor / Yer
K957761R0001VTS0 120x120
NovaDot Dark greige / Koyu grej

The NovaDot collection blends the subtle essence of materials with refined textures that reveal depth and character. Each tile radiates intricate visual texture and refined versatility, with fine particulates and nuanced tones that captivate the eye. NovaDot harmonizes its recycled composition into a cohesive aesthetic, making it ideal for projects blending modern minimalism with a story of sustainable artistry. Whether in a commercial space or a residential area, NovaDot tiles offer a durable, versatile foundation that celebrates the ongoing dialogue between nature and pioneering design. With a balanced palette of two warm tones and two cold tones, it is available in different formats such as 120x120 cm, 60x120 cm, and 60x60 cm. With its versatile character, NovaDot brings aesthetic balance to living spaces where modern design meets environmental awareness.

NovaDot koleksiyonu, malzemelerin özünü, derinlik ve karakteri ortaya çıkaran rafine dokularla bir araya getiriyor. İnce tanecikler ve zarif ton geçişleri ile zenginleşen bu seri, çok yönlü kullanım imkânı sunar. NovaDot, geri dönüştürülmüş malzemelerle üretilmiş yapısıyla estetik bir bütünlük sunar; modern minimalizmi sürdürülebilir sanat anlayışıyla buluşturmak isteyen projeler için ideal bir seçenektir. Ticari veya konut alanlarında, doğa ve çağdaş tasarım arasındaki sürekli diyalogu yansıtan dayanıklı ve çok yönlü alternatifler sağlar. İki sıcak ve iki soğuk tondan oluşan dengeli bir renk paletiyle 120x120 cm, 60x120 cm ve 60x60 cm gibi çeşitli ebatlarda sunulur. NovaDot'un çok yönlü yapısı, modern çizgilerle çevre duyarlılığını birleştiren tüm yaşam alanlarında estetik bir denge sunar.



 Wall / Duvar

K957765R0001VTS0 120x120
NovaDot Dark grey / Koyu gri
K957707R0001VTSP 60x120
NovaDot Light grey / Açık gri
K957701R0001VTE0 60x60
NovaDot Light grey / Açık gri

 Floor / Yer

K957721R0001VTS0 120x120
NovaFlake Light grey / Açık gri

NovaDot

Colorbody porcelain
Colorbody porselen

Product standard / Ürün standardı
EN14411 Group Bla

Footnotes / Dipnotlar
F H R


Porcelain
Porselen


Floor tile
Yer karosu


Wall tile
Duvar karosu


Residential
Konut


Commercial
Ticari alan


Frost resistance
Dona dayanım


Shade variation
Desen farklılaşması


Soft R10B


Rectified
Rektifiyeli


V-Shape


Recycle
Geri dönüşüm


Novelty
Yeni

Base tiles / Fonlar



Light greige / Açık grej



Dark greige / Koyu grej



Light grey / Açık gri



Dark grey / Koyu gri

Colorbody porcelain
Colorbody porselen

	Surface Yüzey	Thickness Kalınlık	120x120 (48"x48") R 1197x1197	60x120 (24"x48") R 597x1197	60x60 (24"x24") R 597x597
 Light greige Açık grej	R10B	9 mm	K957710R0001VTS0	K957704R0001VTSP	K957698R0001VTE0
 Dark greige Koyu grej	R10B	9 mm	K957761R0001VTS0	K957760R0001VTSP	K957772R0001VTE0
 Light grey Açık gri	R10B	9 mm	K957713R0001VTS0	K957707R0001VTSP	K957701R0001VTE0
 Dark grey Koyu gri	R10B	9 mm	K957765R0001VTS0	K957764R0001VTSP	K957774R0001VTE0

Sizes Ebatlar	Thickness Kalınlık (mm)	Box Kutu			Pallet Palet		
		Pcs Adet	m²	kg	Box Kutu	m²	kg
Colorbody porcelain / Colorbody porselen							
120x120 Rectified / Rektifiyeli	9	1	1,44	28,8	36	51,84	1086,8
60x120 Rectified / Rektifiyeli	9	2	1,44	29,52	36	51,84	1098
60x60 Rectified / Rektifiyeli	9	4	1,44	26,93	30	43,20	833



Wall / Duvar
K957710R0001VTS0 120x120
NovaDot Light greige / Açık grej



Wall / Duvar
K957704R0001VTSP 60x120
NovaDot Light greige / Açık grej

Floor / Yer
K957710R0001VTS0 120x120
NovaDot Light greige / Açık grej



Wall / Duvar
K957760R0001VTSP 60x120
NovaDot Dark greige / Koyu grej

Headquarters

Genel merkez

VitrA Karo San. ve Tic. A.Ş.

Büyükdere Cad. Ali Kaya Sok. No: 5
Levent, 34394 İstanbul
Phone: +90 (212) 350 80 00
Fax: +90 (212) 350 85 58

Regional offices

Bölge ofisleri

VitrA UK Ltd.

Park 34 Collet Way,
Didcot Oxon Ox11 7WB, UK
Phone: +44 (1235) 750 990
Fax: +44 (1235) 750 985

VitrA Fliesen GmbH-Co. KG.

Justus-von-Liebig-Straße 2
56751 Polch, Germany
Phone: +49 (2622) 8895-126
Fax: +49 (2622) 8895-5128

VitrA Plitka LLC

142253, bld. 1, Bolshevik Settlement,
Serpukhov District, Moscow Region, Russia
Phone: +7 (496) 738 06 08
Fax: +7 (495) 520 78 76

Flagship showrooms

Flagship mağazalar

VitrA Suadiye

VitrA Suadiye (Cavit Paşa Köşkü)
Bağdat Cad. 493-1, Bostancı
Kadıköy, 34744 İstanbul
Phone: +90 (216) 467 06 40

VitrA Cologne

Agrippinawerft 24
D-50678 Köln, Cologne
Phone: +49 (221) 27 73 68-0
Fax: +49 (2622) 88 95 500

VitrA London

Unit 2
64 Turnmill Street
EC1M 5RR London
E-mail: london@vitra.co.uk

VitrA Moscow

Varshavskoe Highway, 9, Bld.1
“Danilovskaya Manufaktura” Office Center
117105 Moscow
Phone / Fax: +7 (495) 221 76 11

VitrA UAE

2020 Building – Al Quoz 3 Plot 27
Showroom No: 7 Sheikh Zayed Road –
Dubai/UAE
Phone: +971 (4) 547 8045

vitratiles.com

vitra.com.tr

Attention

When ordering ceramic tiles specify the areas of use.
Before tile setting, verify the tonality and calibration numbers, claims regarding these indications cannot be accepted after tile setting.
Crazing of glass borders is a nature of the ceramic tiles.
It is recommended to use VitrA Fix grout and adhesive materials with VitrA Ceramic Tiles.
The colours of tiles in the catalogue may not reflect the exact colours of the products.
For the compatibility of the products to be used with complementary parts, a special order note should be added requesting the simultaneous production of all tiles. There may be a colour tone difference in products produced at different times.
VitrA Karo San. ve Tic. A.Ş. reserves the right to change the products and technical specifications.
For other technical details, please visit www.vitrಾಗlobal.com and review VitrA Cleaning and Maintenance Instructions and Warranty Conditions.

Dikkat

Seramik karoları sipariş ederken kullanım alanlarını belirtiniz.
Seramik karoları döşemeden önce lütfen tonalite ve kalibre numaralarının aynı mekânlar için aynı olmasına dikkat ediniz; döşendikten sonra sorumluluk kabul edilmez.
Camısı bordürlerde Kraküle (çatlama) olabilme, seramiğin doğasında olan bir unsurdur.
VitrA Karo Seramikleri ile birlikte VitrA Fix derz dolgu ve yapıştırıcı malzemeleri kullanılması önerilir.
Katalogdaki ürün renkleri seramik karoların renklerini aynen yansıtmayabilir.
Tamamlayıcı parçalar ile bu parçaların birlikte döşeneceği ürünlerin uyumu için sipariş notu düşülerek üretim yapılmalıdır. Farklı zamanlarda üretilen ürünlerde renk tonu farkı olabilir.
VitrA Karo San. ve Tic. A.Ş.'nin ürünler ve teknik detaylarında değişiklik yapma hakkı saklıdır.
Diğer teknik detaylar için www.vitra.com.tr'yi ziyaret ederek VitrA Temizlik ve Bakım Talimatları ile Garanti Koşulları'nı inceleyiniz.

VitrA